




Gorgeous Lighting Co.,Ltd.

ledlight@saving-star.com, savingledlight@gmail.com | Cell:+86 158 5921 3665 T: +86 592 559 4418 | www.ledlight-lux.com | www.saving-star.com

Product List

Product Name: Round LED high bay light

2016

Model	Watts.	Volts	Color Temp	Lumens	Luminous Efficacy (lm/w)	CRI	Beam angle	Dimmable	LED chip	LED driver	Size(cm)	IP Rate	<200pcs	<500pcs	pic
HB1405-0190W	90W	AC 100-240V	3000-6000K	10800lm	120	75/80	110°	No	Epistar 5050	Mean Well	Ø30*24	IP 65	t.b.a	t.b.a	
HB1405-01110W	110W	AC 100-240V	3000-6000K	13200lm	120	75/80	110°	No	Epistar 5050	Mean Well	Ø30*24	IP 65	t.b.a	t.b.a	
HB1405-01130W	130W	AC 100-240V	3000-6000K	15600lm	120	75/80	110°	No	Epistar 5050	Mean Well	Ø30*24	IP 65	t.b.a	t.b.a	

Below accessories need additional payment (Optional)

45/70/90 Aluminum Shields : \$8





Frosted Cover (per set) : \$8

PC Diffuser : \$9

SS Sports Lighting Net : \$29

Meanwell DALI -PWM Convertor : \$7

Adjustable Bail for Surface Mounting : \$31

Model	Watts.	Volts	Color Temp	Lumens	Luminous Efficacy (lm/w)	CRI	Beam angle	Dimmable	LED chip	LED driver	Size(cm)	IP Rate	<200pcs	<500pcs	pic
HB1405-02160W	160W	AC 90-305V	3000-6000K	19200lm	120	80	40°/70°/110°	Upon request	Epistar 5050	Mean Well	Ø35.7*27 .9	IP 65	t.b.a	t.b.a	
HB1405-02180W	180W	AC 90-305V	3000-6000K	21600lm	120	80	40°/70°/110°	Upon request	Epistar 5050	Mean Well	Ø35.7*27 .9	IP 65	t.b.a	t.b.a	
HB1405-02200W	200W	AC 90-305V	3000-6000K	24000lm	120	80	40°/70°/110°	Upon request	Epistar 5050	Mean Well	Ø35.7*27 .9	IP 65	t.b.a	t.b.a	
HB1405-02240W	240W	AC 90-305V	3000-6000K	28800lm	120	75	40°/70°/110°	Yes	Epistar 5050	Mean Well	Ø35.7*27 .9	IP 65	t.b.a	t.b.a	

Below extra accessories for above four models(HB1405-02160W/HB1405-02180W/HB1405-02200W/HB1405-02240W):

Acrylic Diffuser 70°&90°&45° (available)

t.b.a

t.b.a



Adjustable Bail for Surface Mounting (Only 160w & 180w)

t.b.a

t.b.a



5years Warranty

Remarks:

- 1. Payments: T/T
- 2. Delivery time: 15days after receiving the payment from customers.
- 3. Different color temperature, same price
- 4. Certification: CE RoHS



Acrylic Diffuser



Adjustable Bail for Surface Mounting



45°



70/90°



Sports Lighting Net



Frosted Cover